

## エアドライヤ(クリーンエアユニット)冷媒種類・封入量・冷凍機公称出力一覧

## SASシリーズ

1/7

機種およびSER.NO		冷媒関係資料			
型式	SER.NO.	使用冷媒	冷媒封入量(g)	冷凍機公称出力(kW)	
SAS3P-54/64	(4B/4C)	全生産機	R-12	230	0.25
SAS4P-54	(4B/4C)	~522P-00674			
	(4CX)	522P-00675~	R-22	230	0.25
SAS4P-64	(4B/4C)	~523P-01196	R-12	230	0.25
	(4CX)	523P-01197~	R-22	230	0.25
SAS4P-56/66		全生産機	R-22	160	0.15
SAS4SD-57		~562PAS0945			
		562PAS0946~	R-407C	150	0.15
SAS4SD-67		~563PAS1445	R-22	160	0.15
		563PAS1446~	R-407C	150	0.15
SAS4SD-5A		~L3A5AS0298	R-407C	150	0.1
		L3A5AS0299~	R-134a	140	0.25
SAS4SD-6A		~L3A6AS0045	R-407C	150	0.1
		L3A6AS046~	R-134a	140	0.25
SAS4SD-5C/6C		全生産機	R-134a	140	0.3
SAS6P-54/64	(6B)	全生産機	R-12	300	0.3
SAS6P-55	(6C)	~516P-00217	R-12	340	0.4
	(6CX)	516P-00218~	R-22	260	0.25
SAS6P-65	(6C)	~517P-00247	R-12	340	0.4
	(6CX)	517P-00248~	R-22	260	0.25
SAS6P-56/66		全生産機	R-22	300	0.3
SAS6SD-57		~569PAS0384			
		569PAS0385~	R-407C	230	0.15
SAS6SD-67		~570PAS0465	R-22	300	0.3
		570PAS0466~	R-407C	230	0.15
SAS6SD-5A		~M3A5AS0149	R-407C	320	0.25
		M3A5AS0150~	R-134a	280	0.4

機種および S E R N O		冷媒関係資料			
型式	SER.NO.	使用冷媒	冷媒封入量(g)	冷凍機公称出力(kW)	
SAS6SD-6A	~M3A6AS0175	R-407C	320	0.25	
	M3A6AS0176~	R-134a	280	0.4	
SAS6SD-5C/6C	全生産機				
SAS8P-54/64	(8B)	全生産機	R-12	300	0.3
SAS8P-55	(8C)	~518P-00309	R-12	340	0.4
	(8CX)	518P-00310~	R-22	290	0.25
SAS8P-65	(8C)	~519P-00477	R-12	340	0.4
	(8CX)	519P-00478~	R-22	290	0.25
SAS8P-56/66	(8D)	全生産機	R-22	380	0.5
SAS8SD-57/67		全生産機	R-407C	230	0.25
SAS8SD-5A		~M1A5AS0250	R-407C	320	0.25
		M1A5AS0251~	R-134a	280	0.4
SAS8SD-6A		~M1A6AS0409	R-407C	320	0.3
		M1A6AS0410~	R-134a	280	0.4
SAS8SD-5C/6C		全生産機			
SAS11P-54/64	(11B)	全生産機	R-12	400	0.4
SAS11P-55	(11C)	~211P-00294			
	(11CX)	211P-00295~	R-22	600	0.4
SAS11P-65	(11C)	~212P-00413	R-12	400	0.4
	(11CX)	212P-00414~	R-22	600	0.4
SAS11P-56/66	(11D)	全生産機	R-22	400	0.5
SAS11SD-57		~238PAS0340	R-22	400	0.5
		238PAS0341~	R-407C	330	0.5
SAS11SD-67		~239PAS0496	R-22	400	0.5
		239PAS0497~	R-407C	330	0.5
SAS11VD-7		~558PA00132	R-22	400	0.5
		558PA00133~	R-407C	330	0.5

機種およびSER.NO		冷媒関係資料			
型式	SER.NO.	使用冷媒	冷媒封入量(g)	冷凍機公称出力(kW)	
SAS11VD-8	全生産機	R-407C	330	0.5	
SAS11SD-5A	~K8A5AS0175	R-407C	470	0.5	
	K8A5AS0176~	R-407C	380	0.5	
SAS11SD-6A	~K8A6AS0237	R-407C	470	0.5	
	K8A6AS0238~	R-407C	380	0.5	
SAS11VD-A	~K8A0AV0086	R-407C	470	0.5	
	K8A0AV0087~	R-407C	380	0.5	
SAS11SD-5C/6C	全生産機	R-407C	300	0.5	
SAS11RD-5C/6C					
SAS11VD-C					
SAS15P-54/64	(15B)	全生産機	R-22	400	0.45
SAS15P-55/65	(15C)	全生産機	R-22	470	0.6
SAS15P-56/66	(15D)	全生産機	R-22	480	0.5
SAS15SD-57	~236PAS0583	R-22	500	0.5	
	236PAS0584~	R-407C	330	0.5	
SAS15SD-67	~237PAS0720	R-22	500	0.5	
	237PAS0721~	R-407C	330	0.5	
SAS15VD-7	~559PA0182	R-22	500	0.5	
	559PA00183~	R-407C	330	0.5	
SAS15VD-8	全生産機				
SAS15SD-5A	~L1A5AS0202	R-407C	470	0.5	
	L1A5AS0203~	R-407C	380	0.5	
SAS15SD-6A	~L1A6AS0260	R-407C	470	0.5	
	L1A6AS0261~	R-407C	380	0.5	
SAS15VD-A	~L1A0AV0097	R-407C	470	0.5	
	L1A0AV0098~	R-407C	380	0.5	

機種および S E R N O		冷媒関係資料			
型式	SER.NO.	使用冷媒	冷媒封入量(g)	冷凍機公称出力(kW)	
SAS15SD-5B/6B	全生産機	R-407C	300	0.5	
SAS15RD-5B/6B					
SAS15VD-B					
SAS15SD-5E/6E					
SAS15RD-5E/6E					
SAS15VD-E					
SAS22P-54/64	(22B)	全生産機	R-22	850	0.8
SAS22P-55/65	(22C)	全生産機	R-22	750	0.65
SAS22P-56/66		全生産機	R-22	650	1.1
SAS22PV-6		全生産機			
SAS22SD-58		~J285AS0770	R-407C	360	1.1
		J285AS0771~	R-407C	340	1.1
SAS22SD-68		~J286AS0929	R-407C	360	1.1
		J286AS0930~	R-407C	340	1.1
SAS22UD-58		~J285AU0770	R-407C	360	1.1
		J285AU0771~	R-407C	340	1.1
SAS22UD-68		~J286AU0929	R-407C	360	1.1
		J286AU0930~	R-407C	340	1.1
SAS22VD-8		~J280AV0195	R-407C	360	1.1
		J280AV0196~	R-407C	340	1.1
SAS22SD-5B		~J2B5AS0095	R-407C	380	1.1
		J2B5AS0096~	R-407C	400	1.1
SAS22SD-6B		~J2B6AS0117	R-407C	380	1.1
		J2B6AS0118~	R-407C	400	1.1

機種および S E R. N O		冷媒関係資料			
型式	SER.NO.	使用冷媒	冷媒封入量(g)	冷凍機公称出力(kW)	
SAS22RD-5B	~J2B5AR0095	R-407C	380	1.1	
	J2B5AR0096~	R-407C	400	1.1	
SAS22RD-6B	~J2B6AR0117	R-407C	380	1.1	
	J2B6AR0118~	R-407C	400	1.1	
SAS22VD-B	~J2B0AV0085	R-407C	380	1.1	
	J2B0AV0086~	R-407C	400	1.1	
SAS22SD-5E/6E	全生産機				
SAS22RD-5E/6E					
SAS22VD-E					
SAS37P-54/64	(37B)	全生産機	R-22	850	0.8
SAS37P-55/65	(37C)	全生産機	R-22	1,070	1.1
SAS37P-56/66		全生産機	R-22	1,300	1.2
SAS37SD-57/67	全生産機		R-22	1,200	1.4
SAS37UD-57/67					
SAS37VD-7					
SAS37SD-58/68	全生産機		R-407C	800	1.4
SAS37UD-58/68					
SAS37VD-8					
SAS37SD-5B/6B	全生産機		R-410A	1,050	1.5
SAS37RD-5B/6B					
SAS37VD-B					
SAS37SD-5E/6E					
SAS37RD-5E/6E					
SAS37VD-E					

機種および S E R. N O		冷媒関係資料			
型式	SER.NO.	使用冷媒	冷媒封入量(g)	冷凍機公称出力(kW)	
SAS55P-54/64	(55B) 全生産機	R-22	1,300	1.1	
SAS55SD-57	~577PAS0148	R-22	1,150	1.5	
	577PAS0149~	R-407C	1,200	1.3	
SAS55SD-67	~578PAS0166	R-22	1,150	1.5	
	578PAS0167~	R-407C	1,200	1.3	
SAS55UD-57	~577PAU0148	R-22	1,150	1.5	
	577PAU0149~	R-407C	1,200	1.3	
SAS55UD-67	~578PAU0166	R-22	1,150	1.5	
	578PAU0167~	R-407C	1,200	1.3	
SAS55VD-7	~586PAV0078	R-22	1,150	1.5	
	586PAV0079~	R-407C	1,200	1.3	
SAS55SD-58/68	全生産機	R-407C	900	1.7	
SAS55UD-58/68					
SAS55VD-8					
SAS55SD-5E	~L4E5A0233	R-410A	1,050	1.5	
	L4E5A0234~	R-410A	1,150	1.5	
SAS55SD-6E	~L4E6A0236	R-410A	1,050	1.5	
	L4E6A0237~	R-410A	1,150	1.5	
SAS55RD-5E	~L4E5A0233	R-410A	1,050	1.5	
	L4E5A0234~	R-410A	1,150	1.5	
SAS55RD-6E	~L4E6A0236	R-410A	1,050	1.5	
	L4E6A0237~	R-410A	1,150	1.5	
SAS55VD-E	~L4E0AV2033	R-410A	1,050	1.5	
	L4E0AV2034~	R-410A	1,150	1.5	

機種および S E R . N O		冷媒関係資料			
型式	SER.NO.	使用冷媒	冷媒封入量(g)	冷凍機公称出力(kW)	
SAS75P-54/64	(75B) 全生産機	R-22	1,350	1.4	
SAS75SD-57	~560PAS0107	R-22	1,670	1.9	
	560PAS0108~	R-407C	1,200	1.3	
SAS75SD-67	~561PAS0098	R-22	1,670	1.9	
	561PAS0099~	R-407C	1,200	1.3	
SAS75UD-57	~560PAU0107	R-22	1,670	1.9	
	560PAU0108~	R-407C	1,200	1.3	
SAS75UD-67	~561PAU0098	R-22	1,670	1.9	
	561PAU0099~	R-407C	1,200	1.3	
SAS75VD-7	~587PAV0069	R-22	1,670	1.9	
	587PAV0070~	R-407C	1,200	1.3	
SAS75SD-58/68	全生産機	R-407C	2,000	2.2	
SAS75UD-58/68					
SAS75VD-8					
SAS75SD-5E/6E	全生産機	R-410A	1,550	1.9	
SAS75RD-5E/6E					
SAS75VD-E					